



Introduction to the AFIRM Supplier Toolkit

Nathaniel Sponsler
Gap Inc.



LEVI STRAUSS & CO.



ESPRIT



HUGO BOSS





AFIRM Toolkit History

- First version published October 2008
- Supplier Feedback:
 - Seemed geared toward brands
 - More technical information and examples requested
 - Request for AFIRM combined RSL to meet all brand requirements



LEVI STRAUSS & CO.



ESPRIT



HUGO BOSS





New 2011 AFIRM Supplier Toolkit

- Published November 2011
- Responds to Supplier Feedback
 - Geared toward suppliers
 - More detailed information on more chemicals
 - Improved formatting and internal links
- Available in Chinese & Vietnamese
 - More languages planned in 2013

adidas
GROUP

COLLECTIVE
WEAR

GAP

H&M

LEVI STRAUSS & CO.



Phylmar Group® Environmental
Health & Safety
Social Responsibility

s.Oliver

WARNACO

carhartt.

ESPRIT

The
GYMBOREE
Corporation

HUGO BOSS

new balance

Pentland

puma

vf

AG
AFIRM GROUP



New 2011 AFIRM Supplier Toolkit

- Key Additions
 - RSL Failures with corrective action examples in simple format
 - Detailed Chemical Guidance Document with full Index
- *Resources available for all levels of technical expertise*

adidas
GROUP

COLLECTIVE
BRANDS

GAP

H&M

LEVI STRAUSS & CO.



Phylmar Group®
Environmental
Health & Safety
Social Responsibility

s.Oliver

WARNACO

carhartt.

ESPRIT

The
GYMBOREE
Corporation

HUGO BOSS

new balance

Pentland

puma

vf

AG
AFIRM GROUP



Toolkit Table of Contents

1. <u>Introduction</u>	1
<u>Definition of Restricted Substances</u>	1
<u>Why Substances Are Restricted</u>	1
<u>Purpose of the RSL & Why It Is Important to Suppliers</u>	1
2. <u>Restricted Substances List</u>	2
3. <u>Where Are the Risks?</u>	2
<u>Flowchart for Understanding Chemical Risks</u>	3
<u>Background on Restricted Substances</u>	4
4. <u>Educate the Supply Chain</u>	12
5. <u>Laboratory RSL Testing</u>	13
6. <u>RSL Implementation</u>	14
7. <u>Appendices</u>	15
A. <u>Glossary of Terms</u>	16
B. <u>Factory Management Plan</u>	17
C. <u>Model Brand Program Protocol for Testing Clothing</u>	20
D. <u>Best Practices to Avoid RSL Issues</u>	26
E. <u>RSL Failures & Corrective Action Examples</u>	30
F. <u>Detailed Chemical Guidance Document</u>	31
G. <u>Material Safety Data Sheet (MSDS) Examples and Explanations</u>	32
H. <u>RSL Failure Resolution Form</u>	33
I. <u>Screen Printing & Applications/Finishing Best Practices</u>	34
J. <u>AFIRM Frequently Asked Questions (FAQ)</u>	35
K. <u>Benefits of Water-Based Polyurethane</u>	47
L. <u>Additional Online Resources</u>	48



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility



WARNACO



ESPRIT



HUGO BOSS



Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Where are the risks?

	Natural fibres	Synthetic fibres	Natural and synthetic blends	Artificial leather with fibre backing	Natural leather	Plastic, rubber, paint, and coatings	Natural materials (e.g., paper, wood)	Metal	Fusing, padding, feather, and down
AP / APEO	•	•	•	•	•	•			•
AZO	•	•	•		•				
Cationic Surfactant		•	•						
Chlorinated Organic Carriers		•	•						
Chloroparaffins (SCCP and MCCP)					•				
Chromium VI					•				
Disperse Dyes		•	•						
Flame Retardants						If special finish			•
Formaldehyde	•	•	•		•	•	•		•
Metals, extractable	•		•		•				
Metals, total				•		•		•	
Nickel release									•
Perfluorooctane Sulfonate (PFOS) and PFOS-related substances							If water-repellent finish		
Perfluorooctane Acid (PFOA) and its salts									
pH-value	•		•						
Phenols	•		•		•		•		•
Phthalates				•		•			
Polycyclic Aromatic Hydrocarbons (PAHs)						•			
PVC				•		•			
Tin Organic Compounds				•		•			



LEVI STRAUSS & CO.



Phylmar Group® Environmental Health & Safety Social Responsibility

s.Oliver

WARNACO



ESPRIT

The GYMBOREE Corporation

HUGO BOSS

new balance

Pentland

puma

vf

AG AFIRM GROUP

Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Background on Restricted Substances

RESTRICTED SUBSTANCES	DESCRIPTION & WHERE THEY MAY BE FOUND
<p><i>Alkylphenol Ethoxylates (APEOs) / Alkylphenols (AP)</i></p> <p><i>Nonylphenol Ethoxylates (NPEO)</i></p> <p><i>Octylphenol Ethoxylates (OPEO)</i></p> <p><i>Nonylphenol (NP)</i></p> <p><i>Octylphenol (OP)</i></p>	<p>APEOs are non-ionic surfactants including NPEOs, OPEOs, NP, and OP. NPEOs and OPEOs degrade into NP and OP, respectively.</p> <p>APEOs can be used as or found in:</p> <ul style="list-style-type: none">• Detergents• Scouring agents• Wetting agents• Softeners• Emulsifier/dispersing agents for dyes and prints• Impregnating agents• Degreasing agents for leather• Leather Finishing• De-gumming for silk production• Dyes and pigment preparations• Polyester padding• Down/feather fillings



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility



WARNACO



ESPRIT



HUGO BOSS



Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix B - Factory Management Plan

7. Data Management

- 7.1. Access to RSL data throughout the supply chain is a key component in management strategy for the RSL. Strategic testing of materials is critical for streamlining RSL management.
- 7.2. Describe how you manage data you collect from sample analysis/testing and how you share that information with your partners
 - Do you have a database for all testing data?
 - Do you send this data for management review on a regular basis?
 - Do you identify suppliers with repeated failures and put them on notice?

8. Tracking Time Table

- 8.1. Set up a time table which identifies your RSL Plan of each year. Some items must be included, such as: Four deadlines of reviewing of your RSL Data trend; One training/meeting on RSL to your vendors; Summary of your RSL tracking from Purchasing at the end of the year.

Example:

Progress	Target Date	Finish Date
Complete RSL Plan and present to factory management	1/20/13	
Discuss RSL Plan with vendors	2/20/13	
Set up the RSL Action Plan Schedule	4/20/13	
Prepare material for RSL testing	5/20/13	
Finish RSL testing	6/20/13	
Review RSL data trend with vendors	7/20/13	
Review and revise RSL plan for continuous improvement	8/20/13	



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility

s.Oliver

WARNACO



ESPRIT

The
GYMBOREE
Corporation

HUGO BOSS

new balance

Pentland

puma

vf

AG
AFIRM GROUP

Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix D – Best Practices to Avoid RSL Issues

	Restricted Substance	Manufacturing Technology that Could Introduce The Substance	Steps to Avoid Restricted Substance in Finished Products
Natural Fibers (cotton, rayon, wool, hemp, etc.)	Formaldehyde	Resins to prevent shrinkage	Use formaldehyde free resins; Use low formaldehyde resins & fully cure to chemical supplier specifications to remove free formaldehyde.
		Resins to prevent wrinkling	Use formaldehyde free resins; Use low formaldehyde resins & fully cure to chemical supplier specifications to remove free formaldehyde.
		Resins to permanently include wrinkles	Use formaldehyde free resins; Use low formaldehyde resins & fully cure to chemical supplier specifications to remove free formaldehyde.
		Discharge Printing	Water based discharge printing systems rely on Zinc Formaldehyde Sulfonate (ZFS). Discharge prints must be used according to manufacturers instructions to meet adult formaldehyde requirements.
		Pigment print binder	Use formaldehyde free binders; Use low formaldehyde binders & fully cure to chemical supplier specifications to remove free formaldehyde.
	Heavy metals (mercury, lead, cadmium)	Dye stuff	Use dyestuff from internationally recognized dye stuff suppliers with commitments to chemical compliance.
		Pigment prints	Use pigments from internationally recognized dye stuff suppliers with commitments to chemical compliance.
	Azo amines	Dye stuff	Use dyestuff from internationally recognized dye stuff suppliers with commitments to chemical compliance.
		Pigment prints	Azo structures in pigments can cleave into one of the harmful amines. With low solubility the consumer risk is minimal, but GC/MS will detect amines. LC/MS can be used for proper confirmation. Check with ETAD www.etad.com for a list of pigments that pose this risk.
Synthetic Fibers (polyester, nylon, acetate, acrylic, etc.)	Formaldehyde	Resins to prevent shrinkage	Use formaldehyde free resins; Use low formaldehyde resins & fully cure to chemical supplier specifications to remove free formaldehyde.
		Resins to prevent wrinkling	Use formaldehyde free resins; Use low formaldehyde resins & fully cure to chemical supplier specifications to remove free formaldehyde.
		Resins to permanently include wrinkles	Use formaldehyde free resins; Use low formaldehyde resins & fully cure to chemical supplier specifications to remove free formaldehyde.
		Cross linking agent in coating processes	Use formaldehyde free resins; Use low formaldehyde resins & fully cure to chemical supplier specifications to remove free formaldehyde.
	Heavy metals (mercury, lead, cadmium)	Dye stuff	Use dyestuff from internationally recognized dye stuff suppliers with commitments to chemical compliance.
		Stabilizer	More likely in molded plastics than fibers, but cadmium should not be used as a stabilizer.
	Disperse dyes	Polymer extrusion contamination	Heavy metals such as lead, cadmium and mercury are not likely intentionally used in polymer extrusion, but could be present due to contamination.
		Dye stuff	Use dyestuff from internationally recognized dye stuff suppliers with commitments to chemical compliance. Orange 37/76 is the most common failure and is commonly found in dark colors which use Orange 37/76 in the recipe.
	Azo dyes	Dye stuff	Synthetic fibers with a PU or fluorinated coating may give a false positive for azo amines if tested using GC/MS. LC/MS can be used for confirmation. Use dyestuff from internationally recognized dye stuff suppliers with commitments to chemical compliance.



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility

s.Oliver

WARNACO



ESPRIT

The GYMBOREE Corporation

HUGO BOSS



Pentland

puma

vf


AG
AFIRM GROUP

Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix E – RSL Corrective Actions

Restricted Substance Problem Solution Prevention Library



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility



WARNACO



ESPRIT



HUGO BOSS



Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix E – RSL Corrective Actions

Problem #6

- Socks were tested for VOC's and found to contain Dimethylformamide, methylene chloride, and acetone
- Supplier was found to be lubricating the knitting yarn with an unlabelled solvent with no MSDS information



SOLUTION:

- Production was stopped immediately
- All current stock/shipments destroyed
- Supplier is under review and production in their facility has been suspended
- Supplier required to prove factory corrective action plan before production can resume

Misc.



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility



WARNACO



ESPRIT



HUGO BOSS



Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix F – Detailed Chemical Guidance Document



CHEMICAL GUIDANCE DOCUMENT

Dr. Dieter Sedlak (Dipl. Chemc.)
+49 (821) 56 97 96-10
d.sedlak@mts-germany.eu

Table of Contents

Section	Page #
1 Introduction.....	6
1.1 Background on Textile Industry	6
2 Textile Industry: Basic Raw Materials.....	14
2.1 Textile Raw Materials	14
2.2 Natural Fibers	15
2.2.1 Wool.....	15
2.2.2 Cotton.....	16
2.2.3 Silk	19
2.2.4 Flax	19



LEVI STRAUSS & CO.



Phylmar Group® Environmental Health & Safety Social Responsibility

s.Oliver

WARNACO



ESPRIT

The GYMBOREE Corporation

HUGO BOSS

new balance

Pentland

puma

vf

AG AFIRM GROUP

Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix F – Detailed Chemical Guidance Document

AFIRM Chemical Guidance Document

2.3.5 Polyurethane (PU)

Polyurethane polymers are formed by reacting at least two **isocyanate** functional groups with at least two alcohol groups in the presence of a catalyst (e.g., tertiary amines such as dimethylcyclohexylamine, and organometallic salts such as **dibutyltin dilaurate**).

Dibutyltin dilaurate always contains impurities of **tributyltin** monolaurate. The first essential component of a polyurethane polymer is the **isocyanate**. Molecules that contain two **isocyanate** groups are called **diisocyanates**. These molecules are also referred to as monomers or monomer units, since they themselves are used to produce polymeric **isocyanates** that contain three or more isocyanate functional groups.

Isocyanates can aromatic compounds such as **diphenylmethane diisocyanate (MDI)** or **toluene diisocyanate (TDI)**, or aliphatic compounds such as **hexamethylene diisocyanate (HDI)** or **isophorone diisocyanate (IPDI)**.



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility



WARNACO



ESPRIT



HUGO BOSS



Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix F – Detailed Chemical Guidance Document

AFIRM Chemical Guidance Document

9 Index

A

acaricides, 16

acetate, 17, 22, 38, 40, 54, 65

acetic acid, 11, 13, 22, 31, 32, 34, 40, 41, 55, 58, 82, 88, 90, 91, 92, 95, 105, 106, 108, 113

acetic acid-(2-ethoxyethyl)-ester, 113

acetone, 22, 139

acrolein (2-propenoic aldehyde), 113

acrylamide, 13, 43, 45, 48, 115

acrylate, 42, 43, 45, 47, 48, 49, 54, 113

acrylic acid, 17, 18, 47, 48, 113, 116

acrylonitrile, 20, 43, 45, 48, 88, 90, 115



LEVI STRAUSS & CO.



Phylmar Group® Environmental Health & Safety Social Responsibility



WARNACO



ESPRIT



HUGO BOSS



Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix G – MSDS Examples and Explanations

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Trade name:

Material.-No.:

Specification:

Version: 1.0 / EN

Page 02 of 15

Print date:

Revision date:

2. HAZARDS IDENTIFICATION

Classification:

Other Hazards

Informations pertaining to special dangers for human and environment:

Adverse physicochemical effect(s):

Adverse human health effect(s) and symptom(s):

Adverse environmental effect(s):

Other adverse hazard(s):

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization (substance):

CAS.-No.:

EC-No.:

INDEX-No.:

Purity:

Synonyme(s):

Stabilizer(s):

Hazard(ous) impurity(ies):

Kommentar [HA8]: Distinguish clearly between preparations which are classified as dangerous and preparations which are not classified as dangerous according to Directive 1999/45/EC.

Describe the most important adverse physicochemical, human health and environmental effects and symptoms relating to the uses and possible misuses of the substance or preparation that can reasonably be foreseen.

Kommentar [HA9]: The classification of the substance shall be consistent with the classification provided to the classification and labelling inventory according to Title XI.

Kommentar [HA10]: Describe the most important adverse physicochemical, human health and environmental effects and symptoms relating to the uses and possible misuses of the substance or preparation that can reasonably be foreseen.

Kommentar [HA11]: It may be necessary to mention other hazards, such as dustiness, cross-sensitisation, suffocation, freezing, high potency for odour or taste or environmental effects such as hazards to soil-dwelling organisms, ozone depletion, photochemical ozone creation potential, etc., which do not result in classification but which may contribute to the overall hazards of the material.



LEVI STRAUSS & CO.



Phylmar Group®
Environmental Health & Safety
Social Responsibility



WARNACO



ESPRIT

The GYMBOREE Corporation

HUGO BOSS



AG
AFIRM GROUP

Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix I – Screen Printing Best & Worst Practices



Screen print Ink Storage Best Practices

- Storage room dedicated to ink
- Room clean and free of clutter
- Shelves available to organize ink by type and keep containers off the floor
- Shelves clearly labeled
- Ink chemicals containers properly labeled
- Ink containers clean, any spills cleaned immediately
- MSDS, spill clean up equipment available



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility



WARNACO



ESPRIT

The
GYMBOREE
Corporation

HUGO BOSS



Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix J – Frequently Asked Questions (FAQ)

30. **Q:** For the sample shown below, is a separate RSL test required for each different color, or could a composite test be performed by combining all colors?



A: Composite testing is allowed by some AFIRM brands and not others. Brands that do allow compositing have different limits for the number of samples that may be included in a composite. This number may vary depending on the materials tested and the restricted substance tested for.

If composite testing is allowed, and if, for example, three is the maximum number of materials allowed for composite testing, a composite of equal amounts of the three materials can be tested. Brand policy as well as nominated laboratories will direct suppliers on composite requirements or restrictions.

31. **Q:** For an embroidered badge, can RSL testing be performed using a composite test for all colors and all different layers?

A: For those AFIRM brands that allow compositing, RSL testing should be performed by compositing the colors. A separate test of the adhesive layer should be performed if it is possible to separate that adhesive layer.



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility



WARNACO



ESPRIT



HUGO BOSS



Toolkit Table of Contents

1. Introduction	1
Definition of Restricted Substances	1
Why Substances Are Restricted	1
Purpose of the RSL & Why It Is Important to Suppliers	1
2. Restricted Substances List	2
3. Where Are the Risks?	2
Flowchart for Understanding Chemical Risks	3
Background on Restricted Substances	4
4. Educate the Supply Chain	12
5. Laboratory RSL Testing	13
6. RSL Implementation	14
7. Appendices	15
A. Glossary of Terms	16
B. Factory Management Plan	17
C. Model Brand Program Protocol for Testing Clothing	20
D. Best Practices to Avoid RSL Issues	26
E. RSL Failures & Corrective Action Examples	30
F. Detailed Chemical Guidance Document	31
G. Material Safety Data Sheet (MSDS) Examples and Explanations	32
H. RSL Failure Resolution Form	33
I. Screen Printing & Applications/Finishing Best Practices	34
J. AFIRM Frequently Asked Questions (FAQ)	35
K. Benefits of Water-Based Polyurethane	47
L. Additional Online Resources	48

Appendix L – Additional Online Resources

Appendix L—Additional Online Resources

Chemical Restriction Information

Restricted Substance Lists and Resources

AAFA Restricted Substance List

<https://www.apparelandfootwear.org/Resources/RestrictedSubstances.asp>

This Restricted Substances List (RSL) was created by a special working group of the American Apparel & Footwear Association's (AAFA) Environmental Task Force. The RSL is intended to provide apparel and footwear companies with information related to regulations and laws that restrict or ban certain chemicals and substances in finished home textile, apparel, and footwear products around the world. The American Apparel & Footwear Association (AAFA) is the national trade association representing apparel, footwear and other sewn products companies, and their suppliers, which compete in the global market.

AFIRM Brand Links (available on AFIRM website)

<http://www.afirm-group.com/companies.htm>



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility

s.Oliver

WARNACO



ESPRIT

The
GYMBOREE
Corporation

HUGO BOSS

new balance

Pentland

puma

vf

AG
AFIRM GROUP



AFIRM Toolkit Website

- <http://www.afirm-group.com/suppliersltool.htm>
- Contact: info@afirm-group.com

A screenshot of a Windows Internet Explorer browser window displaying the AFIRM Supplier Toolkit website. The page has a blue header with the 'AG AFIRM GROUP' logo on both sides. In the center, it says 'Apparel & Footwear International RSL Management Group' and 'To reduce the use and impact of harmful substances in the apparel and footwear supply chain.' Below the header are links for 'AFIRM member Companies', 'Previous RSL Seminars', 'FAQ', 'Supplier RSL Implementation Toolkit', 'REACH Information for Suppliers', 'Objectives', and 'Home'. At the bottom, there's a message: 'Welcome! Please click on the link below to download the AFIRM Supplier RSL Toolkit' followed by three download links: 'AFIRM SUPPLIER TOOLKIT English (pdf)', 'AFIRM SUPPLIER TOOLKIT Chinese (pdf)', and 'AFIRM SUPPLIER TOOLKIT Vietnamese (pdf)'.



LEVI STRAUSS & CO.



Phylmar Group®

Environmental
Health & Safety
Social Responsibility

s.Oliver

WARNACO



ESPRIT



HUGO BOSS

